Northwest Science
Volume 63 (1989)
Author and Subject Index

[All author entry headings are in capital letters. Abstract numbers are shown in parentheses (abs. #) after page numbers.]

AIDS epidemic
  model for spread and control: Palmer and Moody, 68 (abs. 26)
Abies *see* firs
Alaska
  spruce beetles: Hard, 5-12
  understory biomass: Yarie and Mead, 221-231
alder, red (*Alnus rubra*)
  leaf water potential: Lu and Zaerr, 68 (abs. 25)
  seedling growth: Giordano and Hibbs, 66 (abs. 20)
ALLEN, B.H. and J.W. BARTOLOME. Cattle grazing effects on understory cover and tree growth in mixed conifer clearcuts. 214-220
Alnus *see* alder
ANTHONY, R.G. *see* DellaSala *et al.*, 104-108
Aplodontia *see* mountain beaver
Artemisia *see* sagebrush
Ascaphus *see* frogs, tailed
ATKINSON, K. *see* Milne *et al.*, 83-86

BARNHURST, D. and F.G. LINDZEY. Detecting female mountain lions with kittens. 35-37
BARTOLOME, J.W. *see* Allen and Bartolome, 214-220
bats
  in southern Idaho: Wackenhut and Keller, 65 (abs. 14)
bears, black (*Ursus americanus*)
  food habits: MacHutchon, 116-118
beaver (*Castor canadensis*)
  and Oregon streams: Leidholt *et al.*, 71 (abs. 37)
BECHARD, M.J. *see* McAnnis and Bechard, 64 (abs. 12)
BECHARD, M.J. *see* Spahr and Bechard, 65 (abs. 13)
beetles, spruce (*Dendroctonus rufipennis*)
  in spruce stand: Hard, 5-12
BENHAM, S.R., F.L. TOBIASON and M.J. THEILMAN. Vivianite from Kalaloch, Olympic Penninsula, Washington. 73 (abs. 48)
BETTS, B.J. Range and habitat preferences of Washington ground squirrels. 66 (abs. 17)
BIDLAKE, W.R., G.S. CAMPBELL and R.I. PAPENDICK. Seed zone temperature and moisture conditions in a partially frozen soil/crop residue system. 69 (abs. 29)
biomass estimates
  of forest vegetation: Yarie and Mead, 221-231
birds
  bald eagles: Spahr and Bechard, 65 (abs. 13)
  Canada geese surveys: Krohn and Bizeau, 1-4
  Canada goose habitats: Passmore and Bittler, 64 (abs. 10)
  Canada goose nests: Eberhardt, 62 (abs. 3)
  in Columbia Basin: Fitzner, 63 (abs. 5)
  and dam construction: Monda and Reichel, 13-18
  ferruginous hawks: McAnnis and Bechard, 64 (abs. 12)
  Forster's tern reproduction: Hall, 90-95
  great gray owls: Bull *et al.*, 38-43
bitterbrush, antelope (*Purshia tridentata*)
  germination: Meyer, 146-153
BITTLER, C. *see* Passmore and Bittler, 64 (abs. 10)
BIZEAU, E.G. *see* Krohn and Bizeau, 1-4
BLACK, R.A. *see* Evans *et al.*, 66 (abs. 19)
BOE, L., C.J. CHRISTIANSON and M.F. PASSMORE. Canada goose production on Lake Wallula and the lower Snake River. 64 (abs. 11)
BOONE, J.D. and B.L. KELLER. Small mammal activity and edge use on the subsurface disposal area, Idaho National Engineering Laboratory site. 65 (abs. 16)
BRANDT, C.A. and W.H. RICKARD, Jr. Restoring the Washington shrub-steppe: the basalt waste isolation reclamation project. 64 (abs. 9)
Branta *see* geese
British Columbia
  Canada geese: Passmore and Bittler, 64 (abs. 10)
  cheatgrass introduction: Novak and Mack, 67 (abs. 21)
  wolves: Milne *et al.*, 71 (abs. 40)
Bromus *see* cheatgrass
BROWN, H. Thyroxine and induced metamorphosis in overwintering tadpoles of the tailed frog, *Ascaphus truei*. 72 (abs. 42)
BRYANT, L.D. *see* Filip *et al.*, 211-213
buckwheat, round-headed (*Eriogonum sphaerocephalum*)
  response to burning: Rickard, 144-145
BULL, E.L., M.G. HENJUM and R.S. ROHWEDER. Reproduction and mortality of great gray owls in Oregon. 38-43
BUTLER, D.R. Snow avalanche-dams and resultant hazards in Glacier National Park, Montana. 109-115

CAMAIONI, D.M. *see* Fryxell *et al.*, 73 (abs. 47)
CAMERON, K.A. Devils Kitchen thermal area at Mount Hood, Oregon, revisited. 73 (abs. 45)
CAMPBELL, C.L. *see* Carey *et al.*, 70 (abs. 36)
CAMPBELL, D.L. and J. EVANS. Aversive conditioning with thiram to reduce mountain beaver damage to Douglas-fir seedlings. 70 (abs. 35)
CAMPBELL, D.L. *see* Carey *et al.*, 70 (abs. 36)
CAMPBELL, G.S. *see* Bidlake *et al.*, 69 (abs. 29)
Canis *see* wolves
Cardaria *see* whitetop
CAREY, M.G., D.L. CAMPBELL and C.L. CAMPBELL. Physical structure, flora and fauna of mountain beaver nests. 70 (abs. 36)
CARSON, R.J. On impacts, volcanoes and extinctions. 129-131
CARTER, R.E. *see* Klinka *et al.*, 19-28
Cascade Range, Wa
  glaciation: Long, 96-103
Castor *see* beaver
cattle
  grazing and conifer seedling growth: Doescher *et al.*, 232-240
  grazing and shrubs and trees: Allen and Bartolome, 214-220
Centaurea *see* knapweed; starthistle
Cervus *see* elk
cheatgrass
  introduction pattern: Novak and Mack, 67 (abs. 21)
CHOW, M. *see* Fryxell *et al.*, 73 (abs. 47)
CHRISTIANSON, C.J. *see* Boe *et al.*, 64 (abs. 11)

Northwest Science
Volume 63 (1989)
Author and Subject Index

[All author entry headings are in capital letters. Abstract numbers are shown in parentheses (abs. #) after page numbers.]

AIDS epidemic
  model for spread and control: Palmer and Moody, 68 (abs. 26)
Abies *see* firs
Alaska
  spruce beetles: Hard, 5-12
  understory biomass: Yarie and Mead, 221-231
alder, red (*Alnus rubra*)
  leaf water potential: Lu and Zaerr, 68 (abs. 25)
  seedling growth: Giordano and Hibbs, 66 (abs. 20)
ALLEN, B.H. and J.W. BARTOLOME. Cattle grazing effects on understory cover and tree growth in mixed conifer clearcuts. 214-220
Alnus *see* alder
ANTHONY, R.G. *see* DellaSala *et al.*, 104-108
Aplodontia *see* mountain beaver
Artemisia *see* sagebrush
Ascaphus *see* frogs, tailed
ATKINSON, K. *see* Milne *et al.*, 83-86

BARNHURST, D. and F.G. LINDZEY. Detecting female mountain lions with kittens. 35-37
BARTOLOME, J.W. *see* Allen and Bartolome, 214-220
bats
  in southern Idaho: Wackenhut and Keller, 65 (abs. 14)
bears, black (*Ursus americanus*)
  food habits: MacHutchon, 116-118
beaver (*Castor canadensis*)
  and Oregon streams: Leidholt *et al.*, 71 (abs. 37)
BECHARD, M.J. *see* McAnnis and Bechard, 64 (abs. 12)
BECHARD, M.J. *see* Spahr and Bechard, 65 (abs. 13)
beetles, spruce (*Dendroctonus rufipennis*)
  in spruce stand: Hard, 5-12
BENHAM, S.R., F.L. TOBIASON and M.J. THEILMAN. Vivianite from Kalaloch, Olympic Penninsula, Washington. 73 (abs. 48)
BETTS, B.J. Range and habitat preferences of Washington ground squirrels. 66 (abs. 17)
BIDLAKE, W.R., G.S. CAMPBELL and R.I. PAPENDICK. Seed zone temperature and moisture conditions in a partially frozen soil/crop residue system. 69 (abs. 29)
biomass estimates
  of forest vegetation: Yarie and Mead, 221-231
birds
  bald eagles: Spahr and Bechard, 65 (abs. 13)
  Canada geese surveys: Krohn and Bizeau, 1-4
  Canada goose habitats: Passmore and Bittler, 64 (abs. 10)
  Canada goose nests: Eberhardt, 62 (abs. 3)
  in Columbia Basin: Fitzner, 63 (abs. 5)
  and dam construction: Monda and Reichel, 13-18
  ferruginous hawks: McAnnis and Bechard, 64 (abs. 12)
  Forster's tern reproduction: Hall, 90-95
  great gray owls: Bull *et al.*, 38-43
bitterbrush, antelope (*Purshia tridentata*)
  germination: Meyer, 146-153
BITTLER, C. *see* Passmore and Bittler, 64 (abs. 10)
BIZEAU, E.G. *see* Krohn and Bizeau, 1-4
BLACK, R.A. *see* Evans *et al.*, 66 (abs. 19)
BOE, L., C.J. CHRISTIANSON and M.F. PASSMORE. Canada goose production on Lake Wallula and the lower Snake River. 64 (abs. 11)
BOONE, J.D. and B.L. KELLER. Small mammal activity and edge use on the subsurface disposal area, Idaho National Engineering Laboratory site. 65 (abs. 16)
BRANDT, C.A. and W.H. RICKARD, Jr. Restoring the Washington shrub-steppe: the basalt waste isolation reclamation project. 64 (abs. 9)
Branta *see* geese
British Columbia
  Canada geese: Passmore and Bittler, 64 (abs. 10)
  cheatgrass introduction: Novak and Mack, 67 (abs. 21)
  wolves: Milne *et al.*, 71 (abs. 40)
Bromus *see* cheatgrass
BROWN, H. Thyroxine and induced metamorphosis in overwintering tadpoles of the tailed frog, *Ascaphus truei*. 72 (abs. 42)
BRYANT, L.D. *see* Filip *et al.*, 211-213
buckwheat, round-headed (*Eriogonum sphaerocephalum*)
  response to burning: Rickard, 144-145
BULL, E.L., M.G. HENJUM and R.S. ROHWEDER. Reproduction and mortality of great gray owls in Oregon. 38-43
BUTLER, D.R. Snow avalanche-dams and resultant hazards in Glacier National Park, Montana. 109-115

CAMAIONI, D.M. *see* Fryxell *et al.*, 73 (abs. 47)
CAMERON, K.A. Devils Kitchen thermal area at Mount Hood, Oregon, revisited. 73 (abs. 45)
CAMPBELL, C.L. *see* Carey *et al.*, 70 (abs. 36)
CAMPBELL, D.L. and J. EVANS. Aversive conditioning with thiram to reduce mountain beaver damage to Douglas-fir seedlings. 70 (abs. 35)
CAMPBELL, D.L. *see* Carey *et al.*, 70 (abs. 36)
CAMPBELL, G.S. *see* Bidlake *et al.*, 69 (abs. 29)
Canis *see* wolves
Cardaria *see* whitetop
CAREY, M.G., D.L. CAMPBELL and C.L. CAMPBELL. Physical structure, flora and fauna of mountain beaver nests. 70 (abs. 36)
CARSON, R.J. On impacts, volcanoes and extinctions. 129-131
CARTER, R.E. *see* Klinka *et al.*, 19-28
Cascade Range, Wa
  glaciation: Long, 96-103
Castor *see* beaver
cattle
  grazing and conifer seedling growth: Doescher *et al.*, 232-240
  grazing and shrubs and trees: Allen and Bartolome, 214-220
Centaurea *see* knapweed; starthistle
Cervus *see* elk
cheatgrass
  introduction pattern: Novak and Mack, 67 (abs. 21)
CHOW, M. *see* Fryxell *et al.*, 73 (abs. 47)
CHRISTIANSON, C.J. *see* Boe *et al.*, 64 (abs. 11)

Columbia basin and river, Wa
birds: Fitzner, 63 (abs. 5)
Canada geese: Eberhardt, 62 (abs. 3); Passmore and Britten, 64 (abs. 10)
cold desert spring-streams: Cushing, 62 (abs 1)
elk: McCorquodale, 62 (abs. 4); McCorquodale *et al.*, 29-34
fish resources: Dauble, 62 (abs. 2)
Forster's tern on islands: Hall, 90-95
plant distribution: Simmons *et al.*, 63 (abs. 6)
plant response to drought: Link *et al.*, 63 (abs. 7)
restoring shrub-steppe: Brandt and Rickard, 64 (abs. 9)
sagebrush steppe flora: Taylor, 63 (abs. 8)
conifers
seedling growth, water and cattle: Doescher *et al.*, 232-240
COX, G.W. Early summer diet and food preferences of northern pocket gophers in north central Oregon. 77-82
CRAWFORD, R.L. *see* Stevens and Crawford, 70 (abs. 34)
Crotalus *see* rattlesnakes
CUSHING, C.E. Structure and function of cold desert spring-streams. 62 (abs. 1)

dams
and avian community changes: Monda and Reichel, 13-18
caused by snow avalanches: Butler, 109-115
DAUBLE, D.D. Fishery resources of the Hanford Reach, Columbia River. 62 (abs. 2)
DELLASALA, D.A., C.L. THOMAS and R.G. ANTHONY. Use of domestic sheeep carrion by bald eagles wintering in the Willamette Valley, Oregon. 104-108
Dendroctonus *see* beetles
dinoseb
in soil: Stevens and Crawford, 70 (abs. 34)
DOESCHER, P.S., S.D. TESCH aand W.E. DREWIEN. Water relations and growth of conifer seedlings during three years of cattle grazing on a southwest Oregon plantation. 232-240
Douglas-firs (*Pseudotsuga menziesii*)
as Christmas trees: Hanley, 68 (abs. 27)
commercial thinning: Emmingham and Shainsky, 67 (abs. 24)
mountain beaver damage: Campbell and Evans, 70 (abs. 35)
and salal: Klinka *et al.*, 19-28
seedling growth: Radwan, 68 (abs. 28)
sheep production in plantations: Leininger *et al.*, 195-200
see also firs, noble
DOWNS, J.L. *see* Link *et al.*, 63 (abs. 7)
DREWIEN, W.E. *see* Doescher *et al.*, 232-240
drought
plant response: Link *et al.*, 63 (abs. 7)
Washington, 1986-88: Quinn, 72 (abs. 44)

eagles
in Columbia Basin: Fitzner, 63 (abs. 5)
bald (*Haliaeetus leucocephalus*)
and sheep carrion: DellaSala *et al.*, 104-108
wintering distribution: Spahr and Bechard, 65 (abs.13)
EBERHARDT, L.E. Nesting populations of Canada geese on the Hanford Reach, 1953-1988. 62 (abs. 3)
ecological process
and plant distribution: Simmons *et al.*, 63 (abs. 6)
elk (*Cervus elaphus*)
Hanford Site population: McCorquodale, 62 (abs. 4)
home ranges: McCorquodale *et al.*, 29-34
EMMINGHAM, W.H. and L.J. SHAINSKY. Comparison of high and low thinning of westside Douglas-fir: five year growth response. 67 (abs. 24)
Eriogonum *see* buckwheat
EVANS, J. *see* Campbell and Evans, 70 (abs. 35)
EVANS, R.D., R.A. BLACK and S.O. LINK. Carbon allocation to reproduction during drought in *Artemisia tridentata*. 66 (abs. 19)
EVANS, R.D. *see* Link *et al.*, 63 (abs. 7)
extinctions
impacts and volcanic theories: Carson, 129-131

Felis *see* mountain lions
FELLER, M.C. *see* Klinka *et al.*, 19-28
FILIP, G.M., L.D. BRYANT and C.A. PARKS. Mass movement of river ice causes severe tree wounds along the Grande Ronde River in northeastern Oregon. 211-213
fires
and buckwheat: Rickard, 144-145
Yellowstone area, in 1988: Schullery, 44-54
firs, noble (*Abies procera*)
as Christmas trees: Hanley, 68 (abs. 27)
see also Douglas-firs
fish
bull trout: Fraley and Shepard, 133-143
Hanford Reach, Columbia River: Dauble, 62 (abs. 2)
trout and stream gradients: Kozel *et al.*, 175-182
FITZNER, R.E. Seasonal diversity and abundance of hawks, owls and eagles in the Columbia Basin of southcentral Washington. 63 (abs. 5)
Flathead Lake and River system
migratory bull trout: Fraley and Shepard, 133-143
forestry
conifer seedlings and grazing: Doescher *et al.*, 232-240
Douglas-fir thinning: Emmingham and Shainsky, 67 (abs. 24)
fertilization of firs: Hanley, 68 (abs. 27)
forest floor and conifer growth: Radwan, 68 (abs. 28)
grazing and tree growth: Allen and Bartolome, 214-220
ice and tree wounds: Filip *et al.*, 211-213
mountain beaver control: Campbell and Evans, 70 (abs. 35)
Pinus halepensis in Jordan: Larsen and Higgins, 67 (abs. 23)
red cedar water use: Lu and Zaerr, 68 (abs. 25)
salal and tree growth: Klinka *et al.*, 19-28
and sheep production: Leininger *et al.*, 195-200
spruce beetle attacks: Hard, 5-12
tillage and pine seedlings: McNabb and Hobbs, 241-245
understory biomass determination: Yarie and Mead, 221-231
FRALEY, J.J. and B.B. SHEPARD. Life history, ecology and population status of migratory bull trout (*Salvelinus confluentus*) in the Flathead Lake and River system, Montana. 133-143
frogs, tailed (*Ascaphus truei*)
metamorphosis: Brown, 72 (abs. 42)
FRYXELL, G.E., M. CHOW, W.A. RODIN and D.M. CAMAIONI. Electron transfer and radical cation reaction rates of methoxylated bibenzyls. 73 (abs. 47)

Garnet Hill, Nevada
rhyolite and tuffs: Hollabaugh *et al.*, 201-210
Gaultheria *see* salal
GEE, G.W. *see* Link *et al.*, 63 (abs. 7)

geese, Canada (*Branta canadensis*)
brooding habits: Passmore and Bittler, 64 (abs. 10)
nesting populations: Eberhardt, 62 (abs. 3)
production: Boe *et al.*, 64 (abs. 11)
tail fan surveys: Krohn and Bizeau, 1-4
geology
extinctions, volcanism and impacts: Carson, 129-131
Garnet Hill, Nevada: Hollabaugh *et al.*, 201-210
Leavenworth glaciation: Long, 73 (abs. 46); 96-103
Mount Hood thermal area: Cameron, 73 (abs. 45)
small mammal fauna from Touchet Beds: Spencer, 167-174
vivianite from Olympic Peninsula: Benham *et al.*, 73 (abs. 48)
GIORDANO, P. and D.E. HIBBS. Growth and carbon allocation of red alder seedlings grown over a density gradient. 66 (abs. 20)
glaciation
Leavenworth substage: Long, 96-103
Glacier National Park, Montana
snow avalanche-dams: Butler, 109-115
Grande Ronde River, Or
ice movement and tree damage: Filip *et al.*, 211-213
grass
and knapweeds: Larson and McInnis, 162-166
Grayia spinosa
and drought: Link *et al.*, 63 (abs. 7)

habitats
beaver and streams: Leidholt *et al.*, 71 (abs. 37)
and birds: Monda and Reichel, 13-18
Douglas-fir ecosystems: Klinka *et al.*, 19-28
and stream gradients: Kozel *et al.*, 175-182
restoring shrub-steppe: Brandt and Rickard, 64 (abs. 9)
Haliaeetus *see* eagles, bald
HALL, J.A. Aspects of Forster's tern (*Sterna forsteri*) reproduction cobblestone islands in southcentral Washington. 90-95
HALLET, J.G. *see* O'Connell and Hallet, 71 (abs. 38)
HALSE, R.R., B.A. ROTTINK and R. MISHAGA. Studies in *Sidalcea* taxonomy. 154-161
Hanford Site, Wa
wildlife: Rickard and Poole, 183-193
HANLEY, D.P. Fertilization and liming of Douglas-fir and noble fir Christmas trees. 68 (abs. 27)
HARD, J.S. Sequence of trees attacked by spruce beetles in a mature even-aged spruce stand in south-central Alaska. 5-12
HARESTAD, A.S. *see* Milne *et al.*, 83-86
hawks
in Columbia Basin: Fitzner, 63 (abs. 5)
home range: McAnnis and Bechard, 64 (abs. 12)
hemlock, western (*Tsuga heterophylla*)
seedling growth: Radwan, 68 (abs. 28)
HENJUM, M.G. *see* Bull *et al.*, 38-43
herbicides *see* dinoseb
herbivores
diet analysis: McInnis *et al.*, 71 (abs. 40)
HIBBS, D.E. *see* Giordano and Hibbs, 66 (abs. 20)
HIBBS, D.E. *see* Leidholt *et al.*, 71 (abs. 37)
HIGGINS, S.S. *see* Larsen and Higgins, 67 (abs. 23)
HOBBS, S.D. *see* McNabb and Hobbs, 241-245
HOLLABAUGH, C.L., B.D. ROBERTSON and V.L. PURCELL. The petrology and vapor phase mineralogy of rhyolite and tuffs from Garnet Hill, White Pine County, Nevada. 201-210
home ranges
elk: McCorquodale *et al.*, 29-34
HUBERT, W.A. *see* Kozel *et al.*, 175-182
ice
movement and tree wounds: Filip *et al.*, 211-213
snow avalanche-dams: Butler, 109-115
Idaho
bald eagles: Spahr and Bechard, 65 (abs. 13)
bats: Nackenhut and Keller, 65 (abs. 14)
dinoseb in soil: Stevens and Crawford, 70 (abs. 34)
rodents: Keller, 65 (abs. 15)
small mammals: Boone and Keller, 65 (abs. 16)

Jordan
Pinus halepensis growth: Larsen and Higgins, 67 (abs. 23)

KARDONG, K.V. *see* Robinson and Kardong, 71 (abs. 39)
KELLER, B.L. Eight years of data on the relative density and species composition of rodent populations at the Idaho National Engineering Laboratory Site. 65 (abs. 15)
KELLER, B.L. *see* Boone and Keller, 65 (abs. 16)
KELLER, B.L. *see* Wackenhut and Keller, 65 (abs. 14)
KLINKA, K., R.E. CARTER, M.C. FELLER and Q. WANG. Relations between site index, salal, plant communities and sites in coastal Douglas-fir ecosystems. 19-28
knapweed
diffuse (*Centaurea diffusa*)
and grass seedlings: Larson and McInnis, 162-166
squarrose (*C. virgata*)
distribution: Roché and Roché, 246-252
KOZEL, S.J., W.A. HUBERT and M.G. PARSONS. Habitat features and trout abundance relative to gradient in some Wyoming streams. 175-182
KROHN, B. and E.G. BIZEAU. An estimate of bias in tail-fan surveys of Rocky Mountain Canada geese. 1-4

LARSEN F.E. and S.S. HIGGINS. Adaptation of the FOREST-BCG model to warm, dry climates: growth of *Pinus halepensis* in Jordan. 67 (abs. 23)
LARSON, L.L. and M.L. MCINNIS. Impact of grass seedlings on establishment and density of diffuse knapweed and yellow starthistle. 162-166
LARSON, L.L., M.L. MCINNIS, R.F. MILLER and J.A. TANAKA. Forage reduction and seedling emergence by whitetop (*Cardaria draba* (L.)) in the sagebrush ecosystem. 67 (abs. 22)
LARSON, L.L. *see* McInnis *et al.*, 71 (abs. 40)
Leavenworth area, Wa
glacial sequence: Long, 73 (abs. 46)
LEIDHOLT, K.L., W. McCOMB and D.E. HIBBS. The effect of beaver on stream and stream-side characteristics and coho populations in western Oregon. 71 (abs. 37)
LEININGER, W.C., S.H. SHARROW and S.D. RHODES. Sheep production in coastal Oregon Douglas-fir plantations. 195-200
LINDZEY, F.G. *see* Barnhurst and Lindzey, 35-37
LINK, S.O., M.E. THIEDE, R.D. EVANS, J.L. DOWNS and G.W. GEE. Responses of *Artemisia tridentata* and *Grayia spinosa* to increasing seasonal drought. 63 (abs. 7)
LINK, S.O. *see* Evans *et al.*, 66 (abs. 19)
locusts, black (*Robinia pseudo-acacia*)
and groundwater uptake: Rickard and Price, 87-89
LONG, W.A. Reinterpretation of the alpine glacial sequence in the Leavenworth area, Washington. 73 (abs. 46)
LONG, W.A. A probable sixth Leavenworth glacial substage in the Icicle-Chiwaukum Creeks Area, north Cascade Range, Washington. 96-103
LU, S.J. and J.B. ZAERR. Seasonal and diurnal trends of leaf water potential of young red alder (*Alnus rubra*) along a density gradient in western Oregon. 68 (abs. 25)

MacHUTCHON, A.G. Spring and summer food habits of black bears in the Pelly River valley, Yukon. 116-118
MACK, R.N. *see* Novak and Mack, 67 (abs. 21)
MACKELBURG, L.E. and R.W. THORINGTON, Jr. Platyrrine distribution and the theory of corroborating evidence. 72 (abs. 43)
mammals, small
  fauna from Touchet Beds: Spencer, 167-174
  ground squirrels: Betts, 66 (abs. 17); Weddell, 66 (abs. 18)
  Microtus montanus microhabitats: O'Connell and Hallett, 71 (abs. 38)
  pocket gophers: Cox, 77-82
  rodent populations: Keller, 65 (abs. 15)
  and waste disposal: Boone and Keller, 65 (abs. 16)
McANNIS, D. and M.J. BECHARD. Home range and habitat use of ferruginous hawks in the Snake River Birds of Prey Area. 64 (abs. 12)
McCOMB, W. *see* Leidholt *et al.*, 71 (abs. 37)
McCORQUODALE, S.M. Population ecology of a shrub-steppe elk herd. 62 (abs. 4)
McCORQUODALE, S.M., K.J. RAEDEKE and R.D. TABER. Home ranges of elk in an arid environment. 29-34
McINNIS, M.L., L.L. LARSON and M. VAVRA. Hierarchical cluster analysis as an aid for interpreting herbivore diets. 71 (abs. 40)
McINNIS, M.L. *see* Larson and McInnis, 162-166
McINNIS, M.L. *see* Larson *et al.*, 67 (abs. 22)
McNABB, D.H. and S.D. HOBBS. Shallow tillage fails to increase five-year growth of Ponderosa pine seedlings. 241-245
MEAD, B.R. *see* Yarie and Mead, 221-231
methoxylated bibenzyls
  kinetics: Fryxell *et al.*, 73 (abs. 47)
MEYER, S.E. Warm pretreatment effects on antelope bitterbrush (*Purshia tridentata*) germination response to chilling. 146-153
Microtus *see* vole
MILLER, R.F. *see* Larson *et al.*, 67 (abs. 22)
MILNE, D.G., A.S. HARESTAD and K. ATKINSON. Diets of wolves on northern Vancouver Island. 83-86
MISHAGA, R. *see* Halse *et al.*, 154-161
MONDA, M.J. and J.D. REICHEL. Avian community changes following Lower Granite Dam construction on the Snake River, Washington. 13-18
Montana
  bull trout: Fraley and Shepard, 133-143
  snow avalanche-dams: Butler, 109-115
MOODY, M.E. *see* Palmer and Moody, 68 (abs. 26)
Mount Hood, Or
  Devils Kitchen thermal area: Cameron, 73 (abs. 45)
mountain beaver (*Aplodontia rufa*)
  and Douglas-fir damage: Campbell and Evans, 70 (abs. 35)
  nests: Carey *et al.*, 70 (abs. 36)
mountain lions (*Felis concolor*)
  detection: Barnhurst and Lindzey, 35-37

Nevada
  rhyolite and tuffs: Hollabaugh *et al.*, 201-210
NOVAK, S.J. and R.N. MACK. Electrophoretic variability in Washington and British Columbia populations of cheatgrass: evidence for multiple introductions. 67 (abs. 21)

O'CONNELL, M.A. and J.G. HALLETT. Microhabitat selection by *Microtus montanus*. 71 (abs. 38)
Oregon
  bald eagles: DellaSala *et al.*, 104-108
  beaver and fish: Leidholt *et al.*, 71 (abs. 37)
  cattle and conifer seedlings: Doescher *et al.*, 232-240
  great gray owl reproduction: Bull *et al.*, 38-43
  Mount Hood thermal area: Cameron, 73 (abs. 45)
  pocket gophers: Cox, 77-82
  red alder water use: Lu and Zaerr, 68 (abs. 25)
owls
  in Columbia Basin: Fitzner, 63 (abs. 5)
  great gray (*Strix nebulosa*)
    reproduction and mortality: Bull *et al.*, 38-43

PALMER, J.S. and M.E. MOODY. A mathematical model for the spread and control of the AIDS epidemic. 68 (abs. 26)
PANWALA, C.M. *see* Simmons *et al.*, 63 (abs. 6)
PAPENDICK, R.I. *see* Bidlake *et al.*, 69 (abs. 29)
PARKS, C.A. *see* Filip *et al.*, 211-213
PARSONS, M.G. *see* Kozel *et al.*, 175-182
PASSMORE, M.F. and C. BITTLER. Canada goose brooding habitats on the Columbia River between Crow Butte Island and Richland, Washington. 64 (abs. 10)
PASSMORE, M.F. *see* Boe *et al.*, 64 (abs. 11)
Pelly River, Yukon
  black bears: MacHutchon, 116-118
Picea *see* spruce
pines
  Pinus halepensis
    potential growth in Jordan: Larsen and Higgins, 67 (abs. 23)
  ponderosa (*Pinus ponderosa*)
    seedling growth and shallow tillage: McNabb and Hobbs, 241-245
Pinus *see* pines
Placida *see* slug, sea
plant communities
  and salal: Klinka *et al.*, 19-28
plants
  communication
    and W-waves: Wagner, 69 (abs. 32); 119-128
  distribution
    and ecological processes: Simmons *et al.*, 63 (abs. 6)
  spacings
    and W-waves: Wagner, 70 (abs. 33)
pocket gophers, northern (*Thomomys talpoides*)
  food habits: Cox, 77-82
POOLE, L.D. *see* Rickard and Poole, 183-193
PRICE, K.R. *see* Rickard and Price, 87-89
Pseudotsuga *see* Douglas-firs
PURCELL, V.L. *see* Hollabaugh *et al.*, 201-210
Purshia *see* bitterbrush

QUINN, R. Meteorological and hydrological drought in Washington state, 1986-88. 72 (abs. 44)

RADWAN, M.A. Influence of forest floor on growth of Douglas-fir and western hemlock seedlings with and without fertilizer. 68 (abs. 28)
RAEDEKE, K.J. *see* McCorquodale *et al.*, 29-34
rattlesnakes, northwest (*Crotalus viridis*)
  prey location: Robinson and Kardong, 71 (abs. 39)
REICHEL, J.D. *see* Monda and Reichel, 13-18
RHODES, B.D. *see* Leininger *et al.*, 195-200
rhyolite
  from Garnet Hill, Nevada: Hollabaugh *et al.*, 201-210
RICKARD, W.H. Response of round-headed buckwheat to summer burning. 144-145
RICKARD, W.H. and L.D. POOLE. Terrestrial wildlife of the Hanford Site: past and future. 183-193

RICKARD, W.H. and K.R. PRICE. Uptake of tritiated groundwater by black locust trees. 87-89
RICKARD, W.H., Jr. *see* Brandt and Rickard, 64 (abs. 9)
riparian habitats
  and birds: Monda and Reichel, 13-18
rivers
  beavers and streams: Leidholt *et al.*, 71 (abs. 37)
  cold desert spring-streams: Cushing, 62 (abs. 1)
  trout and channel gradient: Kozel *et al.*, *175-182*
ROBERTSON, B.D. see Hollabaugh *et al.*, *201-210*
Robinia see locust, black
ROBINSON, B. and K.V. KARDONG. Methods for relocation of prey for northwest rattlesnake, *Crotalus viridis oreganus*. 71 (abs. 39)
ROCHÉ, B.F., Jr. *see* Roché and Roché, 246-252
ROCHÉ, C.T. and B.F. ROCHÉ, Jr. Introductory notes on squarrose knapweed (*Centaurea virgata* Lam. ssp. *squarrosa* Gugl.). 246-252
rodents
  in Idaho: Keller, 65 (abs. 15)
RODIN, W.A. *see* Fryxell *et al.*, 73 (abs. 47)
ROHWEDER, R.S. *see* Bull *et al.*, 38-43
ROTTINK, B.A. *see* Halse *et al.*, 154-161
RYCHERT, R.C. Toxicity testing using microbial systems. 69 (abs. 30)

sagebrush (*Artemisia tridentata*)
  carbon allocation in drought: Evans *et al.*, 66 (abs. 19)
  response to drought: Link *et al.*, 63 (abs. 7)
sagebrush steppe
  spring flora: Taylor, 63 (abs. 8)
salal (*Gaultheria shallon*)
  and tree growth: Klinka *et al.*, 19-28
Salvelinus see trout, bull
SCHULLERY, P. Yellowstone fires: a preliminary report. 44-54
seeds
  seed zone conditions: Bidlake *et al.*, 69 (abs. 29)
SHAINSKY, L.J. *see* Emmingham and Shainsky, 67 (abs. 24)
SHARROW, S.H. *see* Leininger *et al.*, 195-200
sheep, domestic
  and eagles: DellaSala *et al.*, 104-108
  production in Douglas-fir plantations: Leininger *et al.*, 195-200
SHEPARD, B.B. *see* Fraley and Shepard, 133-143
shrub-steppe habitat
  restoration: Brandt and Rickard, 64 (abs. 9)
Sidalcea
  taxonomy: Halse *et al.*, 154-161
SIMMONS, M.A., J.M. THOMAS and C.M. PANWALA. A method for studying the relationship between plant distribution and ecological processes. 63 (abs. 6)
slugs, sea (*Placida dendritica*)
  and algal host: Trowbridge, 72 (abs. 41)
Snake River
  birds and dam construction: Monda and Reichel, 13-18
  Canada geese: Boe *et al.*, 64 (abs. 11)
SPAHR, R.R. and M.J. BECHARD. Factors affecting distribution and foraging of wintering bald eagles on the Boise River in southwestern Idaho. 65 (abs. 13)
species distribution
  and theory of corroborating evidence: Mackelburg and Thorington, 72 (abs. 43)
SPENCER, P.K. A small mammal fauna from the Touchet Beds of Walla Walla County, Washington: support for the multiple-flood hypothesis. 167-174
Spermophilus see squirrels, ground
spruce (*Picea* spp.)
  attacked by spruce beetles: Hard, 5-12
squirrels, ground (*Spermophilus*)
  Columbian (*S. columbianus*)
    distribution: Weddell, 66 (abs. 18)
  Washington (*S. washingtoni*)
    range: Betts, 66 (abs. 17)
starthistle, yellow (*Centaurea solstitialis*)
  and grass seedlings: Larson and McInnis, 162-166
Sterna see terns
STEVENS, T.O. and R.L. CRAWFORD. The fate of dinoseb (4, 6-dinitro, 2-sec-butyl phenol) in several Idaho soils varying in soil type and exposure history. 70 (abs. 34)
streams *see* rivers
Strix see owl, great gray

TABER, R.D. *see* McCorquodale *et al.*, 29-34
TANAKA, J.A. *see* Larson *et al.*, 67 (abs. 22)
taxonomy
  Sidalcea: Halse *et al.*, 154-161
TAYLOR, R.J. Spring flora of the sagebrush steppe, emphasizing ecology and adaptations. 63 (abs. 8)
terns, Forster's (*Sterna forsteri*)
  reproduction: Hall, 90-95
TESCH, S.D. *see* Doescher *et al.*, 232-240
THIEDE, M.E. *see* Link *et al.*, 63 (abs. 7)
THIELMAN, M.J. *see* Benham *et al.*, 73 (abs. 48)
thiram
  and tree damage: Campbell and Evans, 70 (abs. 35)
THOMAS, C.L. *see* DellaSala *et al.*, 104-108
THOMAS J.M. *see* Simmons *et al.*, 63 (abs. 6)
Thomomys see pocket gophers
THORINGTON, R.W., Jr. *see* Mackelburg and Thorington, 72 (abs. 43)
TOBIASON, F.L. *see* Benham *et al.*, 73 (abs. 48)
Touchet Beds, Wa
  small mammal fauna: Spencer, 167-174
toxicity testing
  with microbial systems: Rychert, 69 (abs. 30)
trout
  and channel gradient: Kozel *et al.*, 175-182
  bull (*Salvelinus confluentus*)
    in Flathead Lake and river: Fraley and Shepard, 133-143
TROWBRIDGE, C.D. Timing and location of algal host use by an oligophagous marine herbivore. 72 (abs. 41)
Tsuga see hemlock
tuffs
  from Garnet Hill, Nevada: Hollabaugh *et al.*, 201-210

understory biomass
  regression approach: Yarie and Mead, 221-231
Ursus see bears, black

Vancouver Island
  wolves: Milne *et al.*, 83-86
VAVRA, M. *see* McInnis *et al.*, 71 (abs. 40)
vivianite
  from Olympic Penninsula: Benham *et al.*, 73 (abs. 48)
volcanism
  impacts and extinctions: Carson, 129-131
voles, montane (*Microtus montanus*)
  habitat selection: O'Connell and Hallett, 71 (abs. 38)

W-waves
  and biological clocks: Wagner, 69 (abs. 31)
  and plant communication: Wagner, 69 (abs. 32); 119-28
  and plant spacings: Wagner, 70 (abs. 33)

WACKENHUT, M.C. and B.L. KELLER. Composition, distribution, and movements of bats in southern Idaho. 65 (abs. 14)
WAGNER, O.E. Plant communication and W-waves. 69 (abs. 32)
WAGNER, O.E. Plant spacings and W-waves. 70 (abs. 33)
WAGNER, O.E. W-waves and biological clocks. 69 (abs. 31)
WAGNER, O.E. W-waves and plant communication. 119-128
WANG, Q. *see* Klinka *et al.*, 19-28
Washington
  alpine glacial sequence: Long, 73 (abs. 46); 96-103
  birds and dam construction: Monda and Reichel, 13-18
  Canada geese: Passmore and Bittner, 64 (abs. 10)
  cheatgrass introduction: Novak and Mack, 67 (abs. 21)
  drought, 1986-88: Quinn, 72 (abs. 44)
  Forster's tern: Hall, 90-95
  restoring shrub-steppe: Brandt and Rickard, 64 (abs. 9)
  small mammal fauna: Spencer, 167-174
  vivianite: Benham *et al.*, 73 (abs. 48)
  wildlife: Rickard and Poole, 183-193
waste disposal
  and small mammals: Boone and Keller, 65 (abs. 16)
water uptake
  by black locust trees: Rickard and Price, 87-89
WEDDELL, B.J. Distribution and movement of Columbian ground squirrels (*Spermophilus columbianus*) in uncultivated habitat: are habitat patches like islands? 66 (abs. 18)
whitetop (*Cardaria draba*)
  seedling emergence: Larson *et al.*, 67 (abs. 22)
wildlife
  on the Hanford site: Rickard and Poole, 183-193
Willamette Valley, Or
  eagles and sheep: DellaSala *et al.*, 104-108
wolves (*Canis lupus*)
  diet: Milne *et al.*, 83-86
Wyoming
  trout: Kozel *et al.*, 175-182
  Yellowstone fires: Schullery, 44-45

YARIE, J. and B.R. MEAD. Biomass regression equations for determination of vertical structure of major understory species of southeast Alaska. 221-231
Yellowstone Park, Wy
  fires in 1988: Schullery, 44-54
Yukon
  black bears: MacHutchon, 116-118

ZAERR, J.B. *see* Lu and Zaerr, 68 (abs. 25)